

CLAIMS

What is claimed is:

1. A method for handling image data within a digital camera having a memory storage unit for storing image data, the camera connectable to an external information
5 handling system adapted to receive image data from the camera, the method comprising:
- storing image data elements consecutively in an image storage queue, each
image data element having an archival status; and
indicating said archival status of said image data element.
- 10
2. The method of claim 1, further comprising associating each said image data element with a header, wherein said indicating comprises providing an indicator in said header.
- 15
3. The method of claim 1, wherein each said image data element has a filename, and wherein said indicating comprises naming said filename to indicate said archival status.
4. The method of claim 1, wherein said indicating comprises:
- 20 creating an organizational structure comprising a reserved location for archived image data elements; and
placing archived image data elements in said reserved location.

5. The method of claim 1, further comprising:

archiving one said image data element, said archiving comprising copying said
image data element to the external information handling system; and
changing said archival status of said image data element to indicate that said
data element is archived.

5

6. The method of claim 5, further comprising associating each said image data
element with a header, wherein said changing said archival status comprises changing
the contents of said header.

10

7. The method of claim 6, wherein said header comprises a data bit indicating archival
status, wherein said changing the contents of said header comprises inverting said data
bit.

8. The method of claim 5, wherein said image data element has a filename comprising
at least one character, and wherein said changing comprises altering said filename by
at least one character.

15

9. The method of claim 5, further comprising receiving a selection of one said image
data element for archiving.

20

10. The method of claim 5, wherein said archiving comprises:

connecting the camera to the external information handling system; and

copying said image data element from the memory storage unit in the camera
to the external information handling system.

11. The method of claim 5, wherein the memory storage unit includes a removable
5 storage medium, and wherein said archiving comprises:
removing the removable storage medium from the camera;
connecting the removable storage medium to the external information
handling system; and
copying said image data element from the removable storage medium to the
10 external information handling system.

12. The method of claim 5, further comprising:
determining that the memory storage unit is full;
determining that at least one said image data element in said image storage
15 queue has been archived; and
deleting from the memory storage unit at least one said archived image data
element.

13. The method of claim 12, wherein said deleting comprises deleting the last said
20 data element in said image storage queue from the memory storage unit.

14. The method of claim 5, further comprising:
determining that the memory storage unit is full;

determining that no said image data element in said image storage queue has
been archived; and
notifying a user that the memory storage unit is full.

5 15. The method of claim 14, further comprising:

receiving a selection of an image data element for deletion; and
deleting said selected image data element from the memory storage unit.

16. A digital camera adapted for connection to an external information handling
10 system, the camera comprising:
a controller;
an image acquisition unit electrically connected to said controller; and
a memory storage unit;
wherein image data elements each having an archival status are stored in said
15 memory storage unit chronologically in an image storage queue.

17. The camera of claim 16, wherein said memory storage unit comprises media
removable from the camera.

20 18. A computer program product for controlling the handling of image data within a
digital camera having a memory storage unit for storing image data, the camera
connectable to an external information handling system adapted to receive image data
from the camera, the computer program product comprising:

5 19. The computer program product of claim 18, further comprising:

instructions for archiving one said image data element, said archiving

comprising copying said image data element to the external

information handling system; and

instructions for changing said archival status of said image data element to

10 indicate that said data element is archived.

15